

Annual Index for Volume 46

Materials Evaluation

Author Index

- Abel, P. B. (see Baaklini, G. Y.), No. 11, p 1477
- Adler, L. (see Nagy, P. B.), No. 1, p 97
- Aleamar, J. D. (see Delsanto, P. P.), No. 7, p 1000
- Anderson, C. E., *Microfilming Radiographs* (NDT Solution), No. 7, p 830
- Atherton, D. L., and C. Welbourn, *A Rotating-Drum Rig for Testing Pipeline Anomaly Detectors under Simulated Line Pressure*, No. 1, p 101
- Baaklini, G. Y. (see Generazio, E. R.), No. 10, p 1338
- _____ and P. B. Abel, *Radiographic and Ultrasonic Characterization of Sintered Silicon Carbide*, No. 11, p 1477
- Bach, G., K. Goebbels, and W. A. Theiner, *Characterization of Hardening Depth by Barkhausen Noise Measurement*, No. 12, p 1576
- Bailey, W. H., *Requirements for Visual Acuity in the Aerospace Industry* (Back to Basics), No. 13, p 1625
- Balaschak, J. J. (see Strauss, B. M.), No. 8, p 1043
- Barry, R. C. (see Betz, R. A.), No. 11, p 1424
- Bassim, M. N., *Continuous Surveillance Using Acoustic Emission* (Back to Basics), No. 2, p 149
- Bates, B. (see Hagemmaier, D. J.), No. 4, p 518
- _____ (see Hagemmaier, D. J.), No. 13, p 1696
- Bathias, C. (see Potet, P.), No. 8, p 1050
- Beck, K. H., *Ultrasonic Transducer Array Configuration for Interleaved Scanning*, No. 6, p 771
- Becker, G., *Radiographic Image Interpretation* (Back to Basics), No. 11, p 390
- Benchari, U. (see Shankar, P. M.), No. 8, p 1100
- Berodias, M. G., and M. G. Peix, *Nondestructive Measurement of Density and Effective Atomic Number by Photon Scattering*, No. 9, p 1209
- Betz, R. A., and R. C. Barry, *Description of a Rapid, High-Sensitivity Real-Time Radiographic System*, No. 11, p 1424
- Bilgutay, N. M. (see Shankar, P. M.), No. 8, p 1100
- Birring, A. S. (see Pantermuehl, P. J.), No. 6, p 708
- Blackburn, P. R., *Acoustic Emission Retesting of Cylinders for Transportation of Compressed Gases: A Status Review* (Technical Note), No. 2, p 220
- Bossi, R. H., K. D. Friddell, and J. M. Nelson, *Backscatter X-Ray Imaging*, No. 11, p 1462; Copyright notice, No. 13, p 1716
- _____ and B. P. Hildebrand, *Stepped-Frequency Ultrasonic Holography*, No. 5, p 659
- Bowles W., and G. Mayberry, *Selecting Radiographic Film: Considerations for the Shop* (Back to Basics), No. 4, p 426
- Brockelman, R. H. (see Gruber, J. J.), No. 1, p 90
- Brunk, J. A., *The Influence of Ambient Temperature Changes on Angle-Beam Ultrasonic Testing of Steel* (Back to Basics), No. 9, p 1148
- _____ , *Ultrasonic Examination of Absorbent Materials* (NDT Solution), No. 5, p 584; Erratum, No. 9, p 1157
- Burkle, W. S., *A Nomograph to Calculate the Current Required for Longitudinal Magnetization*, No. 6, p 728
- Bushlin, Y. (see Segal, Y.), No. 4, p 513
- Capener, E. L., *Regression Analysis to Assess Ultrasonic Inspection Results*, No. 5, p 671
- Carlson, J. (see Smith, R. W.), No. 10, p 1262
- Chen, Z. T. (see Kline, R. A.), No. 7, p 986
- Chitwood, L. D. (see Dodd, C. V.), No. 12, p 1592
- Christina, D. (see Hagemmaier, D. J.), No. 13, p 1696
- Coulter, J. E., D. M. Stevens, S. Gehl, and J. R. Scheibel, *Acoustic Emission Monitoring of Fossil-Fuel Power Plants*, No. 2, p 230
- Cox, L. D., and K. W. Hammer, *The NDT Reference Standard* (Back to Basics), No. 6, p 702
- Coyne, P. J., Jr. (see Kohne, G. S.), No. 9, p 1204
- Davis, R. S., *Bell's Use of Induction Balance: Searching for a Bullet in President Garfield* (Yesteryears), No. 12, p 1528
- Deeds, W. E. (see Dodd, C. V.), No. 12, p 1569
- _____ (see Dodd, C. V.), No. 12, p 1592
- Degrigny, B. (see Potet, P.), No. 8, p 1050
- Delsanto, P. P., J. D. Aleamar, E. Rosario, A. Nagl, and H. Überall, *Spectral Analysis of the Scattering of Elastic Waves from a Fluid-Filled Cylinder*, No. 7, p 1000
- Dodd, C. V., W. E. Deeds, and L. D. Chitwood, *Eddy Current Inspection of Ferromagnetic Materials Using Pulsed Magnetic Saturation*, No. 12, p 1592
- _____ , L. M. Whitaker, and W. E. Deeds, *An Accurate Laboratory Test System Using Commercial Equipment for Eddy Current Measurements*, No. 12, p 1569
- Domas, P. A., *Quantified Nondestructive Evaluation Capability: A Major Element in Engine Structural Integrity Programs*, No. 5, p 626
- Drouillard, T. F., *Introduction to Acoustic Emission*, No. 2, p 174
- Duke, J. C., Jr. (see Kiernan, M. T.), No. 8, p 1105
- _____ (see Kiernan, M. T.), No. 10, p 1344
- Feres, P., Jr., *Evaluating the Results of Acoustic Emission Tests Applied to Industrial Equipment*, No. 2, p 215
- Fetherston, N. W., *Computerized In-Service Inspection Programs* (NDT Solution), No. 9, p 1158
- Fink, F. (see Tayal, M.), No. 2, p 238
- Friddell, K. D. (see Bossi, R. H.), No. 11, p 1462; Copyright notice, No. 13, p 1716
- Fujisawa, K. (see Kubota, J.), No. 4, p 523
- Gallar, J. J., *Modular Robotic Manipulation in Radiographic Inspection* (NDT Solution), No. 11, p 1397
- Gehl, S. (see Coulter, J. E.), No. 2, p 230
- Generazio, E. R., *Determination of Grain-Size Distribution Function Using Two-Dimensional Fourier Transforms of Tone-Pulse-Encoded Images*, No. 4, p 528
- _____ , *Ultrasonic Attenuation Measurements Determine Onset, Degree, and Completion of Recrystallization*, No. 9, p 1198
- _____ , D. J. Roth, and G. Y. Baaklini, *Acoustic Imaging of Subtle Porosity Variations in Ceramics*, No. 10, p 1338
- Goebbels, K. (see Bach, G.), No. 12, p 1576
- Goldberg, L., *Innovations in Underwater Magnetic Particle Testing*, No. 6, p 718

Annual Index for Volume 46

Materials Evaluation

Author Index

- Abel, P. B. (see Baaklini, G. Y.), No. 11, p 1477
- Adler, L. (see Nagy, P. B.), No. 1, p 97
- Aleamar, J. D. (see Delsanto, P. P.), No. 7, p 1000
- Anderson, C. E., *Microfilming Radiographs* (NDT Solution), No. 7, p 830
- Atherton, D. L., and C. Welbourn, *A Rotating-Drum Rig for Testing Pipeline Anomaly Detectors under Simulated Line Pressure*, No. 1, p 101
- Baaklini, G. Y. (see Generazio, E. R.), No. 10, p 1338
- _____ and P. B. Abel, *Radiographic and Ultrasonic Characterization of Sintered Silicon Carbide*, No. 11, p 1477
- Bach, G., K. Goebbels, and W. A. Theiner, *Characterization of Hardening Depth by Barkhausen Noise Measurement*, No. 12, p 1576
- Bailey, W. H., *Requirements for Visual Acuity in the Aerospace Industry* (Back to Basics), No. 13, p 1625
- Balaschak, J. J. (see Strauss, B. M.), No. 8, p 1043
- Barry, R. C. (see Betz, R. A.), No. 11, p 1424
- Bassim, M. N., *Continuous Surveillance Using Acoustic Emission* (Back to Basics), No. 2, p 149
- Bates, B. (see Hagemmaier, D. J.), No. 4, p 518
- _____ (see Hagemmaier, D. J.), No. 13, p 1696
- Bathias, C. (see Potet, P.), No. 8, p 1050
- Beck, K. H., *Ultrasonic Transducer Array Configuration for Interleaved Scanning*, No. 6, p 771
- Becker, G., *Radiographic Image Interpretation* (Back to Basics), No. 11, p 390
- Benchari, U. (see Shankar, P. M.), No. 8, p 1100
- Berodias, M. G., and M. G. Peix, *Nondestructive Measurement of Density and Effective Atomic Number by Photon Scattering*, No. 9, p 1209
- Betz, R. A., and R. C. Barry, *Description of a Rapid, High-Sensitivity Real-Time Radiographic System*, No. 11, p 1424
- Bilgutay, N. M. (see Shankar, P. M.), No. 8, p 1100
- Birring, A. S. (see Pantermuehl, P. J.), No. 6, p 708
- Blackburn, P. R., *Acoustic Emission Retesting of Cylinders for Transportation of Compressed Gases: A Status Review* (Technical Note), No. 2, p 220
- Bossi, R. H., K. D. Friddell, and J. M. Nelson, *Backscatter X-Ray Imaging*, No. 11, p 1462; Copyright notice, No. 13, p 1716
- _____ and B. P. Hildebrand, *Stepped-Frequency Ultrasonic Holography*, No. 5, p 659
- Bowles W., and G. Mayberry, *Selecting Radiographic Film: Considerations for the Shop* (Back to Basics), No. 4, p 426
- Brockelman, R. H. (see Gruber, J. J.), No. 1, p 90
- Brunk, J. A., *The Influence of Ambient Temperature Changes on Angle-Beam Ultrasonic Testing of Steel* (Back to Basics), No. 9, p 1148
- _____ , *Ultrasonic Examination of Absorbent Materials* (NDT Solution), No. 5, p 584; Erratum, No. 9, p 1157
- Burkle, W. S., *A Nomograph to Calculate the Current Required for Longitudinal Magnetization*, No. 6, p 728
- Bushlin, Y. (see Segal, Y.), No. 4, p 513
- Capener, E. L., *Regression Analysis to Assess Ultrasonic Inspection Results*, No. 5, p 671
- Carlson, J. (see Smith, R. W.), No. 10, p 1262
- Chen, Z. T. (see Kline, R. A.), No. 7, p 986
- Chitwood, L. D. (see Dodd, C. V.), No. 12, p 1592
- Christina, D. (see Hagemmaier, D. J.), No. 13, p 1696
- Coulter, J. E., D. M. Stevens, S. Gehl, and J. R. Scheibel, *Acoustic Emission Monitoring of Fossil-Fuel Power Plants*, No. 2, p 230
- Cox, L. D., and K. W. Hammer, *The NDT Reference Standard* (Back to Basics), No. 6, p 702
- Coyne, P. J., Jr. (see Kohne, G. S.), No. 9, p 1204
- Davis, R. S., *Bell's Use of Induction Balance: Searching for a Bullet in President Garfield* (Yesteryears), No. 12, p 1528
- Deeds, W. E. (see Dodd, C. V.), No. 12, p 1569
- _____ (see Dodd, C. V.), No. 12, p 1592
- Degrigny, B. (see Potet, P.), No. 8, p 1050
- Delsanto, P. P., J. D. Aleamar, E. Rosario, A. Nagl, and H. Überall, *Spectral Analysis of the Scattering of Elastic Waves from a Fluid-Filled Cylinder*, No. 7, p 1000
- Dodd, C. V., W. E. Deeds, and L. D. Chitwood, *Eddy Current Inspection of Ferromagnetic Materials Using Pulsed Magnetic Saturation*, No. 12, p 1592
- _____ , L. M. Whitaker, and W. E. Deeds, *An Accurate Laboratory Test System Using Commercial Equipment for Eddy Current Measurements*, No. 12, p 1569
- Domas, P. A., *Quantified Nondestructive Evaluation Capability: A Major Element in Engine Structural Integrity Programs*, No. 5, p 626
- Drouillard, T. F., *Introduction to Acoustic Emission*, No. 2, p 174
- Duke, J. C., Jr. (see Kiernan, M. T.), No. 8, p 1105
- _____ (see Kiernan, M. T.), No. 10, p 1344
- Feres, P., Jr., *Evaluating the Results of Acoustic Emission Tests Applied to Industrial Equipment*, No. 2, p 215
- Fetherston, N. W., *Computerized In-Service Inspection Programs* (NDT Solution), No. 9, p 1158
- Fink, F. (see Tayal, M.), No. 2, p 238
- Friddell, K. D. (see Bossi, R. H.), No. 11, p 1462; Copyright notice, No. 13, p 1716
- Fujisawa, K. (see Kubota, J.), No. 4, p 523
- Gallar, J. J., *Modular Robotic Manipulation in Radiographic Inspection* (NDT Solution), No. 11, p 1397
- Gehl, S. (see Coulter, J. E.), No. 2, p 230
- Generazio, E. R., *Determination of Grain-Size Distribution Function Using Two-Dimensional Fourier Transforms of Tone-Pulse-Encoded Images*, No. 4, p 528
- _____ , *Ultrasonic Attenuation Measurements Determine Onset, Degree, and Completion of Recrystallization*, No. 9, p 1198
- _____ , D. J. Roth, and G. Y. Baaklini, *Acoustic Imaging of Subtle Porosity Variations in Ceramics*, No. 10, p 1338
- Goebbels, K. (see Bach, G.), No. 12, p 1576
- Goldberg, L., *Innovations in Underwater Magnetic Particle Testing*, No. 6, p 718

- Gruber, J. J., J. M. Smith, and R. H. Brockelman, *Ultrasonic Velocity C-Scans for Ceramic and Composite Material Characterization*, No. 1, p 90
- Gsib, N. (see Roget, J.), No. 2, p 225
- Hagemaier, D. J. (see Skeie, K.), No. 6, p 779
- _____, *Effective Implementation of NDT into Aircraft Design, Fabrication, and Service*, No. 7, p 851
- _____, B. Bates, and D. Christina, *Optically Aided Visual Inspection of Aircraft Structure* (Technical Note), No. 13, p 1696
- _____, B. Bates, and A. Steinberg, *On-Aircraft Eddy Current Subsurface Crack Inspection* (Technical Note), No. 4, p 518
- _____, *Cost Benefits of Nondestructive Testing in Aircraft Maintenance*, No. 10, p 1272
- Hammer, K. W. (see Cox, L. D.), No. 6, p 702
- Harris, R. (see Smith, R. W.), No. 10, p 1262
- Henning, D., *Josef Kaiser: His Achievements in Acoustic Emission Research* (Yesteryears), No. 2, p 193
- _____, and K. G. Walther, *Technique for Controlled Performance of Magnetic Particle Inspection* (Technical Note), No. 12, p 1588
- Hildebrand, B. P. (see Bossi, R. H.), No. 5, p 659
- Holden, W. O., *Ultraviolet Light Guide for Fluorescent Penetrant Testing of the Interior of Rotor Assemblies of Jet Engine Compressors* (NDT Solution), No. 10, p 1256
- Hsu, D. K., and D. O. Thompson, *Technique for Fabricating NDT Specimens Containing Interior Cracks*, No. 13, p 1692
- Hutton, P. H., *Acoustic Emission for Continuous Monitoring of Light-Water Reactor Systems: A Status Review*, No. 2, p 241
- Iiyama, K., K. Sekiguchi, and M. Usuki, *Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel Tube and Pipe*, No. 8, p 1096
- _____, and T. Yagi, *Developments in the Dual-Probe Technique for Immersion Angle-Beam Ultrasonic Testing of Steel Tube and Pipe*, No. 7, p 993
- Ikeda, Y., H. Sakai, K. Ohkubo, and G. Matsumoto, *Neutron Computed Tomography with a High-Speed Image Processor*, No. 11, p 1471; Copyright notice, No. 13, p 1716
- Ingman, D. (see Segal, Y.), No. 4, p 513
- Ito, S. (see Kubota, J.), No. 4, p 523
- Jackson, L. (see Shannon, R. W. E.), No. 12, p 1516
- Johnson, D. P. (see Sarian, S.), No. 4, p 442; Errata, No. 13, p 1716
- Johnson, R. J., *In God We Trust: All Others Are Required to Take a Practical Examination* (Back to Basics), No. 1, p 17
- Jolly, W. D., *Sensor Listens for Impending Failure of Turbopump Bearings* (NDT Solution), No. 2, p 153
- Jones, J. E., *ASNT and ABET: Ensuring Quality in NDT Engineering Education*, No. 10, p 1336
- Jones, R. M., *Acoustic Emission Monitoring in Nuclear Power Plants*, No. 2, p 172
- Jungman, A. (see Nagy, P. B.), No. 1, p 97
- Junker, W. R., and G. Mott, *Mercury Tube Modeling of the Eddy Current Discontinuity Response*, No. 10, p 1353
- _____, and B. J. Tazarek, *Liquid Metal Modeling of the Eddy Current Response*, No. 12, p 1564
- Kadowaki, T. (see Kubota, J.), No. 4, p 523
- Kalwa, E., and K. Piekarski, *Qualitative and Quantitative Determination of Densely Occurring Defects in Steel Ropes by Magnetic Testing Method*, No. 6, p 767
- Karpur, P. (see Rose, J. L.), No. 1, p 114
- Kiernan, M. T., and J. C. Duke, Jr., *Acousto-Ultrasonics as a Monitor of Material Anisotropy*, No. 8, p 1105
- _____, and J. C. Duke, Jr., *PC Analysis of an Acousto-Ultrasonic Signal*, No. 10, p 1344
- Kimble, C., *Illinois Requires Nondestructive Testing of Amusement Rides*, No. 9, p 1193
- Kline, R. A., and Z. T. Chen, *Ultrasonic Technique for Global Anisotropic Property Measurement in Composite Materials*, No. 7, p 986
- Kohne, G. S., and P. J. Coyne, Jr., *Time-Domain Feature-Based Classification by Size and Orientation of Near-Field Flaws Smaller than the Ultrasonic Beamwidth*, No. 9, p 1204
- Kubota, J., S. Sasaki, I. Sato, S. Ito, T. Kadowaki, H. Yamaguchi, K. Fujisawa, and R. Murayama, *An Improved Electromagnetic Ultrasonic Testing Technique for Flaw Detection for Hot Steel*, No. 4, p 523
- Kupperman, D. S., *Spurious Echoes during Shear-Wave Examination through Weld Overlay*, No. 8, p 1114
- Lang, W. J., George S. Crampton and the Origins of Industrial Endoscopy (Yesteryears), No. 13, p 1639
- Lord, W. (see Ludwig, R.), No. 1, p 108
- Ludwig, R., and W. Lord, *A Finite-Element Study of Ultrasonic Wave Propagation and Scattering in an Aluminum Block*, No. 1, p 108
- Mansour, T. M., *Ultrasonic Inspection of Spot Welds in Thin-Gage Steel*, No. 5, p 650
- Martin, D. J. V., *Electro-Optic Aids to Quality Assessment and Structural Validation*, No. 1, p 52
- Matsumoto, G. (see Ikeda, Y.), No. 11, p 1471; Copyright notice, No. 13, p 1716
- Mayberry, G. (see Bowles, W.), No. 4, p 426
- Minato, S., *Feasibility of Cosmic-Ray Radiography: A Case Study of a Temple Gate as a Testpiece*, No. 11, p 1468; Copyright notice, No. 13, p 1716
- Morgner, W., *Inspection of Small Vessels by Acoustic Emission Analysis without Fault Locating*, No. 2, p 210
- Mott, G. (see Junker, W. R.), No. 10, p 1353
- Mukherjee, K. (see Tayal, M.), No. 2, p 238
- Murayama, R. (see Kubota, J.), No. 4, p 523
- Nagl, A. (see Delsanto, P. P.), No. 7, p 1000
- Nagy, P. B., A. Jungman, and L. Adler, *Measurements of Backscattered Leaky Lamb Waves in Composite Plates*, No. 1, p 97
- Nelson, J. M. (see Bossi, R. H.), No. 11, p 1462; Copyright notice, No. 13, p 1716
- Newhouse, V. L. (see Rose, J. L.), No. 1, p 114
- Nickolaus, C. M., *Acoustic Emission Monitoring of Above-Ground Storage Tanks*, No. 4, p 508
- Ohkubo, K. (see Ikeda, Y.), No. 11, p 1471; Copyright notice, No. 13, p 1716
- Olsen, R., *More Than Just a Pretty Picture: Real-Time X-Ray Image Enhancement in the Electronics Industry*, No. 11, p 1403
- Pantermuehl, P. J., and A. S. Birring, *Ultrasonic Procedure for Measuring Bolt-Up and Long-Term Relaxation Stress in Steel Studs* (NDT Solution), No. 6, p 708
- Papadakis, E. P., *Financial Considerations for 100 Percent Inspection in High-Volume Production*, No. 4, p 448
- Pasquazzi, D., and W. R. Tweddell, *Photographs as a Permanent Record for Visual Inspection* (NDT Solution), No. 13, p 1634
- Peix, M. G. (see Berodias, M. G.), No. 9, p 1209
- Perdijon, J., *Statistics Applied to the Inference of Flaws in Ultrasonic Testing*, No. 13, p 1666
- _____, *Statistics Applied to Measurements in Ultrasonic Testing*, No. 10, p 1317
- Piekarski, K. (see Kalwa, E.), No. 6, p 767
- Pilarski, A. (see Rose, J. L.), No. 5, p 598
- Pont, G. W., *Ultrasonic Inspection of Oil Country Tubular Goods* (Back to Basics), No. 10, p 1250
- Potet, P., C. Bathias, and B. Degriygn, *Quantitative Characterization of Impact Damage in Composite Materials: A Comparison of Computerized Vibrothermography and X-Ray Tomography*, No. 8, p 1050
- Reinhart, E. R., *Design Consideration for Remote Testing*, No. 10, p 1301
- Reynolds, A. D., *Leak Testing of Leaking Underground Storage Tanks* (Back to Basics), No. 7, p 819
- Rivera, O., and F. V. Vitale, *Airborne Ultrasonic Scanning*, No. 5, p 614
- Roberts, R. A., *A Dry-Contact Coupling Technique for Ultrasonic Nondestructive Evaluation of Green-State Ceramics*, No. 6, p 758
- Robinson, D. L., and C. C. Thomas, *Acoustic Emission Monitoring of Reheat Steamlines*, No. 2, p 155

Roget, J., P. Souquet, and N. Gsib, *Application of Acoustic Emission to the Automatic Monitoring of Tool Condition during Machining*, No. 2, p 225

Rosario, E. (see Delsanto, P. P.), No. 7, p 1000

Rose, J. L., P. Karpur, and V. L. Newhouse, *Utility of Split-Spectrum Processing in Ultrasonic Nondestructive Evaluation*, No. 1, p 114

_____, and A. Pilarski, *Surface and Plate Waves in Layered Structures*, No. 5, p 598

Rosier, G. A., *A Case for an ASNT Central Certification Program for Industrial Radiographers (Opinion Paper)*, No. 8, p 1041

_____, *ASNT: A Participatory Society (Opinion Paper)*, No. 1, p 20

Roth, D. J. (see Generazio, E. R.), No. 10, p 1338

Sadek, H. M. (see Sarian, S.), No. 4, p 442; Errata, No. 13, p 1716

Sakai, H. (see Ikeda, Y.), No. 11, p 1471; Copyright notice, No. 13, p 1716

Sandhu, J. S., *Acoustography: A New Imaging Technique and Its Applications to Nondestructive Evaluation*, No. 5, p 608

Saniie, J. (see Shankar, P. M.), No. 8, p 1100

Sarian, S., H. M. Sadek, and D. P. Johnson, *Eddy Current Inspection of Steam Turbine Components (NDT Solution)*, No. 4, p 442; Errata, No. 13, p 1716

Sasaki, S. (see Kubota, J.), No. 4, p 523

Sato, I. (see Kubota, J.), No. 4, p 523

Scheibel, J. R. (see Coulter, J. E.), No. 2, p 230

Segal, Y., D. Ingman, and Y. Bushlin, *Noise and Granularity in Radiographs*, No. 4, p 513

Sehi, G. H., *Sinclair Community College (Education Close-Up)*, No. 10, p 1325

Sekiguchi, K. (see Iiyama, K.), No. 8, p 1096

Shankar, P. M., U. Bencharit, N. M. Bilgutay, and J. Saniie, *Grain Noise Suppression through Bandpass Filtering*, No. 8, p 1100

Shannon, R. W. E., and L. Jackson, *Nondestructive Testing Applied to Operational Pipelines*, No. 12, p 1516

Shen, J. Z. (see Zhang, S. Y.), No. 5, p 638

Sherlock, C. N., *Leak Testing of Cryogenically Pumped Large-Volume High-Vacuum Systems (NDT Solution)*, No. 1, p 22

_____, *Leak Testing of Large Double-Wall Vacuum-Insulated Cryogenic Vessels (Back to Basics)*, No. 8, p 1034

Skeie, K., and D. J. Hageman, *Quantifying Magnetic Particle Inspection*, No. 6, p 779

Smith, J. (see Wright, R. N.), No. 5, p 587

Smith, J. M. (see Gruber, J. J.), No. 1, p 90

Smith, R. W., R. Walters, J. Carlson, and R. Harris, *High-Frequency Acoustic Systems for Robotic Applications*, No. 10, p 1262

Souquet, P. (see Roget, J.), No. 2, p 225

Stanley, R. K., *Magnetic Field Measurement: The Gauss Meter in Magnetic Particle Testing (Back to Basics)*, No. 12, p 1509

Steinberg, A. (see Hageman, D. J.), No. 4, p 518

Stevens, D. M. (see Coulter, J. E.), No. 2, p 230

Strauss, B. M., and J. J. Balaschak, *Resistivity Testing for Finding Seam Welds in Carbon-Steel Piping (NDT Solution)*, No. 8, p 1043

Swanson, C. E., *Ultrasonic Testing of Nozzle Attachment Welds in Pressure Vessels (Back to Basics)*, No. 5, p 566

Taszarek, B. J. (see Junker, W. R.), No. 12, p 1564

Tayal, M., F. Fink, and K. Mukherjee, *Acoustic Emission Associated with Interfacial Failure of Copper-Nickel Layered Composites (Technical Note)*, No. 2, p 238

Theiner, W. A. (see Bach, G.), No. 12, p 1576

Thomas, C. C. (see Robinson, D. L.), No. 2, p 155

Thompson, D. O. (see Hsu, D. K.), No. 13, p 1692

Tweddell, W. R. (see Pasquazzi, D.), No. 13, p 1634

Überall, H. (see Delsanto, P. P.), No. 7, p 1000

Usuki, M. (see Iiyama, K.), No. 8, p 1096

Vary, A., *Concepts for Interrelating Ultrasonic Attenuation, Microstructure, and Fracture Toughness in Polycrystalline Solids*, No. 5, p 642; Erratum, No. 8, p 1118

Venczel, J., *High-Efficiency Square Pulser for Ultrasonic Testing*, No. 13, p 1702

Vernon, S. N., *A Single-Sided Eddy Current Method to Measure Electrical Resistivity*, No. 12, p 1581

Vitale, F. V. (see Rivera, O.), No. 5, p 614

Vozzo, J. A., *Seed Radiography*, No. 11, p 1450

Walters, R. (see Smith, R. W.), No. 10, p 1262

Walther, K. G. (see Henning, D.), No. 12, p 1588

Weischedel, H. R., *Electromagnetic Wire Rope Inspection in Germany, 1925-40 (Yesteryears)*, No. 6, p 734

_____, *Quantitative In-Service Inspection of Wire Ropes (Opinion Paper)*, No. 4, p 430

Welbourn, C. (see Atherton, D. L.), No. 1, p 101

Whitaker, L. M. (see Dodd, C. V.), No. 12, p 1569

Wong, L. C., *Magnetic Field Indicator: Principles and Use*, No. 6, p 749

_____, *Test Parameters of Wet Magnetic Particle Inspection of Steel Billets*, No. 12, p 1548

Wright, R. N., and J. Smith, *Oil Tank Collapse at Ashland-Florence Terminal*, No. 5, p 587

Yagi, T. (see Iiyama, K.), No. 7, p 993

Yamaguchi, H. (see Kubota, J.), No. 4, p 523

Ying, C. F. (see Zhang, S. Y.), No. 5, p 638

Zhang, S. Y., J. Z. Shen, and C. F. Ying, *The Reflection of the Lamb Wave by a Free Plate Edge: Visualization and Theory*, No. 5, p 638

Subject Index

ABET: Ensuring Quality in NDT Engineering Education, ASNT and J. E. Jones, No. 10, p 1336

ASNT and ABET: Ensuring Quality in NDT Engineering Education, J. E. Jones, No. 10, p 1336

ASNT: A Participatory Society (Opinion Paper), G. A. Rosier, No. 1, p 20

Absorbent Materials, Ultrasonic Examination of (NDT Solution), J. A. Brunk, No. 5, p 584; Erratum, No. 9, p 1157

Accurate Laboratory Test System Using Commercial Equipment for Eddy Current Measurements, An, C. V. Dodd, L. M. Whitaker, and W. E. Deeds, No. 12, p 1569

Acoustic Emission Analysis without Fault Locating, Inspection of Small Vessels by, W. Morgner, No. 2, p 210

Acoustic Emission Associated with Interfacial Failure of Copper-Nickel Layered Composites (Technical Note), M. Tayal, F. Fink, and K. Mukherjee, No. 2, p 238

Acoustic Emission, Continuous Surveillance Using (Back to Basics), M. N. Bassim, No. 2, p 149

Acoustic Emission for Continuous Monitoring of Light-Water Reactor Systems: A Status Review, P. H. Hutton, No. 2, p 241

Acoustic Emission, Introduction to, T. F. Drouillard, No. 2, p 174

Acoustic Emission Monitoring in Nuclear Power Plants, R. M. Jones, No. 2, p 172

Acoustic Emission Monitoring of Above-Ground Storage Tanks, C. M. Nickolaus, No. 4, p 508

Acoustic Emission Monitoring of Fossil-Fuel Power Plants, J. E. Coulter, D. M. Stevens, S. Gehl, and J. R. Scheibel, No. 2, p 230

Acoustic Emission Monitoring of Reheat Steamlines, D. L. Robinson and C. C. Thomas, No. 2, p 155

Acoustic Emission Research, Josef Kaiser: His Achievements in, (Yesteryears), D. Henning, No. 2, p 193

Acoustic Emission Retesting of Cylinders for Transportation of Compressed Gases: A Status Review (Technical Note), P. R. Blackburn, No. 2, p 220

Acoustic Emission Tests Applied to Industrial Equipment, Evaluating the Results of, P. Feres, Jr., No. 2, p 215

Acoustic Emission to the Automatic Monitoring of Tool Condition during Machining, Application of, J. Roget, P. Souquet, and N. Gsib, No. 2, p 225

Acoustic Imaging of Subtle Porosity Variations in Ceramics, E. R. Generazio, D. J. Roth, and G. Y. Baaklini, No. 10, p 1338

- Acoustic Systems for Robotic Applications, High-Frequency, R. W. Smith, R. Walters, J. Carlson, and R. Harris, No. 10, p 1262
- Acousto-Ultrasonic Signal, PC Analysis of an, M. T. Kiernan and J. C. Duke, Jr., No. 10, p 1344
- Acousto-Ultrasonics as a Monitor of Material Anisotropy, M. T. Kiernan and J. C. Duke, Jr., No. 8, p 1105
- Acoustography: A New Imaging Technique and Its Applications to Nondestructive Evaluation, J. S. Sandhu, No. 5, p 608
- Aerospace Industry, Requirements for Visual Acuity in the (Back to Basics), W. H. Bailey, No. 13, p 1625
- Airborne Ultrasonic Scanning, O. Rivera and F. V. Vitale, No. 5, p 614
- Airborne ultrasound: see also High-Frequency Acoustic Aircraft Design, Fabrication, and Service, Effective Implementation of NDT into, D. J. Hagemmaier, No. 7, p 851
- Aircraft Maintenance, Cost Benefits of Nondestructive Testing in, Hagemmaier, D. J., No. 10, p 1272
- Aircraft Structure, Optically Aided Visual Inspection of (Technical Note), D. J. Hagemmaier, B. Bates, and D. Christina, No. 13, p 1696
- Aircraft: see also Engine, On-Aircraft
- Aluminum Block, A Finite-Element Study of Ultrasonic Wave Propagation and Scattering in an, R. Ludwig and W. Lord, No. 1, p 108
- Amusement Rides, Illinois Requires Nondestructive Testing of, C. Kimble, No. 9, p 1193
- Anisotropic Property Measurement in Composite Materials, Ultrasonic Technique for Global, R. A. Kline and Z. T. Chen, No. 7, p 986
- Anisotropy, Acousto-Ultrasonics as a Monitor of Material, M. T. Kiernan and J. C. Duke, Jr., No. 8, p 1105
- Application of Acoustic Emission to the Automatic Monitoring of Tool Condition during Machining, J. Roget, P. Souquet, and N. Gsib, No. 2, p 225
- Ashland-Floreffe Terminal, Oil Tank Collapse at, R. N. Wright and J. Smith, No. 5, p 587
- Attenuation Measurements Determine Onset, Degree, and Completion of Recrystallization, Ultrasonic, E. R. Generazio, No. 9, p 1198
- Attenuation, Microstructure, and Fracture Toughness in Polycrystalline Solids, Concepts for Interrelating Ultrasonic, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel Tube and Pipe, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Backscatter X-Ray Imaging, R. H. Bossi, K. D. Friddell, and J. M. Nelson, No. 11, p 1462; Copyright notice, No. 13, p 1716
- Backscattered Leaky Lamb Waves in Composite Plates, Measurements of, P. B. Nagy, A. Jungman, and L. Adler, No. 1, p 97
- Barkhausen Noise Measurement, Characterization of Hardening Depth by, G. Bach, K. Goebbels, and W. A. Theiner, No. 12, p 1576
- Bearings, Sensor Listens for Impending Failure of Turbopump (NDT Solution), W. D. Jolly, No. 2, p 153
- Bell's Use of Induction Balance: Searching for a Bullet in President Garfield (Yesteryears), R. S. Davis, No. 12, p 1528
- Borescopy: see Endoscopy, Visual
- C-Scans for Ceramic and Composite Material Characterization, Ultrasonic Velocity, J. J. Gruber, J. M. Smith, and R. H. Brockelman, No. 1, p 90
- Cable: see Wire Rope
- Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel Tube and Pipe, Automatic, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Carbon-Steel Piping, Resistivity Testing for Finding Seam Welds in (NDT Solution), B. M. Strauss and J. J. Balaschak, No. 8, p 1043
- Case for an ASNT Central Certification Program for Industrial Radiographers, A (Opinion Paper), G. A. Rosier, No. 8, p 1041
- Ceramic and Composite Material Characterization, Ultrasonic Velocity C-Scans for, J. J. Gruber, J. M. Smith, and R. H. Brockelman, No. 1, p 90
- Ceramics, A Dry-Contact Coupling Technique for Ultrasonic Nondestructive Evaluation of Green-State, R. A. Roberts, No. 6, p 758
- Ceramics, Acoustic Imaging of Subtle Porosity Variations in, E. R. Generazio, D. J. Roth, and G. Y. Baaklini, No. 10, p 1338
- Certification Program for Industrial Radiographers, A Case for an ASNT Central (Opinion Paper), G. A. Rosier, No. 8, p 1041
- Certification: see also Examination
- Characterization: see Density, Grain-Size, Microstructure, Property
- Characterization of Hardening Depth by Barkhausen Noise Measurement, G. Bach, K. Goebbels, and W. A. Theiner, No. 12, p 1576
- Characterization of Sintered Silicon Carbide, Radiographic and Ultrasonic, G. Y. Baaklini and P. B. Abel, No. 11, p 1477
- Characterization, Ultrasonic Velocity C-Scans for Ceramic and Composite Material, J. J. Gruber, J. M. Smith, and R. H. Brockelman, No. 1, p 90
- Classification by Size and Orientation of Near-Field Flaws Smaller than the Ultrasonic Beamwidth, Time-Domain Feature-Based, G. S. Kohne and P. J. Coyne, Jr., No. 9, p 1204
- Composite Material Characterization, Ultrasonic Velocity C-Scans for Ceramic and, J. J. Gruber, J. M. Smith, and R. H. Brockelman, No. 1, p 90
- Composite Materials: A Comparison of Computerized Vibrothermography and X-Ray Tomography, Quantitative Characterization of Impact Damage in, P. Potet, C. Bathias, and B. Degrigny, No. 8, p 1050
- Composite Materials, Ultrasonic Technique for Global Anisotropic Property Measurement in, R. A. Kline and Z. T. Chen, No. 7, p 986
- Composite Plates, Measurements of Backscattered Leaky Lamb Waves in, P. B. Nagy, A. Jungman, and L. Adler, No. 1, p 97
- Composites: see also Absorbent Materials, Layered
- Computerized In-Service Inspection Programs (NDT Solution), N. W. Fetherston, No. 9, p 1158
- Concepts for Interrelating Ultrasonic Attenuation, Microstructure, and Fracture Toughness in Polycrystalline Solids, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Conklin, Radiographs of Seashells: Images by W. A., No. 9, p 1161
- Continuous Surveillance Using Acoustic Emission (Back to Basics), M. N. Bassim, No. 2, p 149
- Copper-Nickel Layered Composites, Acoustic Emission Associated with Interfacial Failure of (Technical Note), M. Tayal, F. Fink, and K. Mukherjee, No. 2, p 238
- Cosmic-Ray Radiography: A Case Study of a Temple Gate as a Testpiece, Feasibility of, S. Minato, No. 11, p 1468; Copyright notice, No. 13, p 1716
- Cost Benefits of Nondestructive Testing in Aircraft Maintenance, D. J. Hagemmaier, No. 10, p 1272
- Coupling Technique for Ultrasonic Nondestructive Evaluation of Green-State Ceramics, A Dry-Contact, R. A. Roberts, No. 6, p 758
- Crampton, George S., and the Origins of Industrial Endoscopy (Yesteryears), W. J. Lang, No. 13, p 1639
- Cryogenic Vessels, Leak Testing of Large Double-Wall Vacuum-Insulated (Back to Basics), C. N. Sherlock, No. 8, p 1034
- Cryogenically Pumped Large-Volume High-Vacuum Systems, Leak Testing of (NDT Solution), C. N. Sherlock, No. 1, p 22
- Cylinder, Spectral Analysis of the Scattering of Elastic Waves from a Fluid-Filled, P. P. Delsanto, J. D. Alemar, E. Rosario, A. Nagl, and H. Überall, No. 7, p 1000
- Cylinders for Transportation of Compressed Gases: A Status Review, Acoustic Emission Retesting of (Technical Note), P. R. Blackburn, No. 2, p 220
- Density and Effective Atomic Number by Photon Scattering, Nondestructive Measurement of, M. G. Berodias and M. G. Peix, No. 9, p 1209
- Description of a Rapid, High-Sensitivity Real-Time Radiographic System, R. A. Betz and R. C. Barry, No. 11, p 1424

- Design Consideration for Remote Testing*, E. R. Reinhart, No. 10, p 1301
- Design, Fabrication, and Service, Effective Implementation of NDT into Aircraft*, D. J. Hagemaijer, No. 7, p 851
- Determination of Grain-Size Distribution Function Using Two-Dimensional Fourier Transforms of Tone-Pulse-Encoded Images*, E. R. Generazio, No. 4, p 528
- Developments in the Dual-Probe Technique for Immersion Angle-Beam Ultrasonic Testing of Steel Tube and Pipe*, K. Iiyama and T. Yagi, No. 7, p 993
- Documentation: see Record, Microfilming*
- Dry-Contact Coupling Technique for Ultrasonic Nondestructive Evaluation of Green-State Ceramics*, A. R. A. Roberts, No. 6, p 758
- Eddy Current Discontinuity Response, Mercury Tube Modeling of the*, W. R. Junker and G. Mott, No. 10, p 1353
- Eddy Current Inspection of Ferromagnetic Materials Using Pulsed Magnetic Saturation*, C. V. Dodd, W. E. Deeds, and L. D. Chitwood, No. 12, p 1592
- Eddy Current Inspection of Steam Turbine Components (NDT Solution)*, S. Sarian, H. M. Sadek, and D. P. Johnson, No. 4, p 442; Erratum, No. 13, p 1716
- Eddy Current Measurements, An Accurate Laboratory Test System Using Commercial Equipment for*, C. V. Dodd, L. M. Whitaker, and W. E. Deeds, No. 12, p 1569
- Eddy Current Method to Measure Electrical Resistivity, A Single-Sided*, S. N. Vernon, No. 12, p 1581
- Eddy Current Response, Liquid Metal Modeling of the*, W. R. Junker and B. J. Taszarek, No. 12, p 1564
- Eddy Current Subsurface Crack Inspection, On-Aircraft (Technical Note)*, D. J. Hagemaijer, B. Bates, and A. Steinberg, No. 4, p 518
- Eddy Current: see also Induction*
- Education, ASNT and ABET: Ensuring Quality in NDT Engineering*, J. E. Jones, No. 10, p 1336
- Education: see also Northeast Wisconsin, Sinclair, Terra*
- Effective Implementation of NDT into Aircraft Design, Fabrication, and Service*, D. J. Hagemaijer, No. 7, p 851
- Electric-Resistance-Welded Steel Tube and Pipe, Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size*, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Electro-Optic Aids to Quality Assessment and Structural Validation*, D. J. V. Martin, No. 1, p 52
- Electromagnetic Wire Rope Inspection in Germany, 1925-40 (Yesteryears)*, H. R. Weischedel, No. 6, p 734
- Electromagnetic: see Barkhausen, Eddy Current, Flux Leakage, Induction, Magnetic Particle*
- Electronics Industry, More Than Just a Pretty Picture: Real-Time X-Ray Image Enhancement in the*, R. Olsen, No. 11, p 1403
- Endoscopy, George S. Crampton and the Origins of Industrial (Yesteryears)*, W. J. Lang, No. 13, p 1639
- Engine Compressors, Ultraviolet Light Guide for Fluorescent Penetrant Testing of the Interior of Rotor Assemblies of Jet (NDT Solution)*, W. O. Holden, No. 10, p 1256
- Engine Structural Integrity Programs, Quantified Nondestructive Evaluation Capability: A Major Element in*, P. A. Domas, No. 5, p 626
- Evaluating the Results of Acoustic Emission Tests Applied to Industrial Equipment*, P. Feres, Jr., No. 2, p 215
- Examination, In God We Trust: All Others Are Required to Take a Practical (Back to Basics)*, R. J. Johnson, No. 1, p 17
- Fabrication, and Service, Effective Implementation of NDT into Aircraft Design*, D. J. Hagemaijer, No. 7, p 851
- Feasibility of Cosmic-Ray Radiography: A Case Study of a Temple Gate as a Testpiece*, S. Minato, No. 11, p 1468; Copyright notice, No. 13, p 1716
- Film: Considerations for the Shop, Selecting Radiographic (Back to Basics)*, W. Bowles and G. Mayberry, No. 4, p 426
- Filtering, Grain Noise Suppression through Bandpass*, P. M. Shankar, U. Bencharit, N. M. Bilgutay, and J. Saniie, No. 8, p 1100
- Financial Considerations for 100 Percent Inspection in High-Volume Production*, E. P. Papadakis, No. 4, p 448
- Finite-Element Study of Ultrasonic Wave Propagation and Scattering in an Aluminum Block*, A. R. Ludwig and W. Lord, No. 1, p 108
- Fossil-Fuel Power Plants, Acoustic Emission Monitoring of*, J. E. Coulter, D. M. Stevens, S. Gehl, and J. R. Scheibel, No. 2, p 230
- Fourier Transforms of Tone-Pulse-Encoded Images, Determination of Grain-Size Distribution Function Using Two-Dimensional*, E. R. Generazio, No. 4, p 528
- Fracture Toughness in Polycrystalline Solids, Concepts for Interrelating Ultrasonic Attenuation, Microstructure, and*, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Garfield, Bell's Use of Induction Balance: Searching for a Bullet in President (Yesteryears)*, R. S. Davis, No. 12, p 1528
- Gases: A Status Review, Acoustic Emission Retesting of Cylinders for Transportation of Compressed (Technical Note)*, P. R. Blackburn, No. 2, p 220
- Gauss Meter in Magnetic Particle Testing, Magnetic Field Measurement: The (Back to Basics)*, R. K. Stanley, No. 12, p 1509
- George S. Crampton and the Origins of Industrial Endoscopy (Yesteryears)*, W. J. Lang, No. 13, p 1639
- Germany, 1925-40, Electromagnetic Wire Rope Inspection in (Yesteryears)*, H. R. Weischedel, No. 6, p 734
- Grain Noise Suppression through Bandpass Filtering*, P. M. Shankar, U. Bencharit, N. M. Bilgutay, and J. Saniie, No. 8, p 1100
- Grain-Size Distribution Function Using Two-Dimensional Fourier Transforms of Tone-Pulse-Encoded Images, Determination of*, E. R. Generazio, No. 4, p 528
- Granularity in Radiographs, Noise and*, Y. Segal, D. Ingman, and Y. Bushlin, No. 4, p 513
- Hardening Depth by Barkhausen Noise Measurement, Characterization of*, G. Bach, K. Goebbels, and W. A. Theiner, No. 12, p 1576
- Heat Treating: see Hardening*
- High-Efficiency Square Pulser for Ultrasonic Testing*, J. Venczel, No. 13, p 1702
- High-Frequency Acoustic Systems for Robotic Applications*, R. W. Smith, R. Walters, J. Carlson, and R. Harris, No. 10, p 1262
- History: see Bell, Kaiser, Wire, Introduction to Acoustic Emission Holography, Stepped-Frequency Ultrasonic*, R. H. Bossi and B. P. Hildebrand, No. 5, p 659
- Holography: see also Electro-Optic*
- Illinois Requires Nondestructive Testing of Amusement Rides*, C. Kimble, No. 9, p 1193
- Image Enhancement in the Electronics Industry, More Than Just a Pretty Picture: Real-Time X-Ray*, R. Olsen, No. 11, p 1403
- Image Interpretation, Radiographic (Back to Basics)*, G. Becker, No. 11, p 390
- Image Processor, Neutron Computed Tomography with a High-Speed*, Y. Ikeda, H. Sakai, K. Ohkubo, and G. Matsumoto, No. 11, p 1471; Copyright notice, No. 13, p 1716
- Images, Determination of Grain-Size Distribution Function Using Two-Dimensional Fourier Transforms of Tone-Pulse-Encoded*, E. R. Generazio, No. 4, p 528
- Imaging, Backscatter X-Ray*, R. H. Bossi, K. D. Friddell, and J. M. Nelson, No. 11, p 1462; Copyright notice, No. 13, p 1716
- Imaging of Subtle Porosity Variations in Ceramics, Acoustic*, E. R. Generazio, D. J. Roth, and G. Y. Baaklini, No. 10, p 1338
- Imaging Technique and Its Applications to Nondestructive Evaluation, Acoustography: A New*, J. S. Sandhu, No. 5, p 608
- Improved Electromagnetic Ultrasonic Testing Technique for Flaw Detection for Hot Steel*, An, J. Kubota, S. Sasaki, I. Sato, S. Ito, T. Kadowaki, H. Yamaguchi, K. Fujisawa, and R. Murayama, No. 4, p 523
- In God We Trust: All Others Are Required to Take a Practical Examination (Back to Basics)*, R. J. Johnson, No. 1, p 17
- In-Service Inspection of Wire Ropes, Quantitative (Opinion Paper)*, H. R. Weischedel, No. 4, p 430

- In-Service Inspection Programs, Computerized (NDT Solution)*, N. W. Fetherston, No. 9, p 1158
- Induction Balance: Searching for a Bullet in President Garfield, Bell's Use of (Yesteryears)*, R. S. Davis, No. 12, p 1528
- Influence of Ambient Temperature Changes on Angle-Beam Ultrasonic Testing of Steel, The (Back to Basics)*, J. A. Brunk, No. 9, p 1148
- Infrared: see Electro-Optic, Vibrothermography*
- Innovations in Underwater Magnetic Particle Testing*, L. Goldberg, No. 6, p 718
- Inspection of Small Vessels by Acoustic Emission Analysis without Fault Locating*, W. Morgner, No. 2, p 210
- Interpretation, Radiographic Image (Back to Basics)*, G. Becker, No. 11, p 390
- Introduction to Acoustic Emission*, T. F. Drouillard, No. 2, p 174
- Jet: see Engine*
- Josef Kaiser: His Achievements in Acoustic Emission Research (Yesteryears)*, D. Henning, No. 2, p 193
- Kaiser, Josef: His Achievements in Acoustic Emission Research (Yesteryears)*, D. Henning, No. 2, p 193
- Lamb Wave by a Free Plate Edge: Visualization and Theory, The Reflection of the*, S. Y. Zhang, J. Z. Shen, and C. F. Ying, No. 5, p 638
- Lamb Waves in Composite Plates, Measurements of Backscattered Leaky*, P. B. Nagy, A. Jungman, and L. Adler, No. 1, p 97
- Layered Composites, Acoustic Emission Associated with Interfacial Failure of Copper-Nickel (Technical Note)*, M. Tayal, F. Fink, and K. Mukherjee, No. 2, p 238
- Layered Structures, Surface and Plate Waves in*, J. L. Rose and A. Pilarski, No. 5, p 598
- Leak Testing of Cryogenically Pumped Large-Volume High-Vacuum Systems (NDT Solution)*, C. N. Sherlock, No. 1, p 22
- Leak Testing of Large Double-Wall Vacuum-Insulated Cryogenic Vessels (Back to Basics)*, C. N. Sherlock, No. 8, p 1034
- Leak Testing of Leaking Underground Storage Tanks (Back to Basics)*, A. D. Reynolds, No. 7, p 819
- Liquid Metal Modeling of the Eddy Current Response*, W. R. Junker and B. J. Taszarek, No. 12, p 1564
- Machining, Application of Acoustic Emission to the Automatic Monitoring of Tool Condition during*, J. Roget, P. Souquet, and N. Gsib, No. 2, p 225
- Magnetic Field Indicator: Principles and Use*, L. C. Wong, No. 6, p 749
- Magnetic Field Measurement: The Gauss Meter in Magnetic Particle Testing (Back to Basics)*, R. K. Stanley, No. 12, p 1509
- Magnetic Particle Inspection, Quantifying*, K. Skeie and D. J. Hagemmaier, No. 6, p 779
- Magnetic Particle Inspection, Technique for Controlled Performance of (Technical Note)*, D. Henning and K. G. Walther, No. 12, p 1588
- Magnetic Particle Testing, Innovations in Underwater*, L. Goldberg, No. 6, p 718
- Magnetic Particle Testing, Magnetic Field Measurement: The Gauss Meter in (Back to Basics)*, R. K. Stanley, No. 12, p 1509
- Magnetic Testing Method, Qualitative and Quantitative Determination of Densely Occurring Defects in Steel Ropes by*, E. Kalwa and K. Piekarski, No. 6, p 767
- Magnetization, A Nomograph to Calculate the Current Required for Longitudinal*, W. S. Burkle, No. 6, p 728
- Measurements of Backscattered Leaky Lamb Waves in Composite Plates*, P. B. Nagy, A. Jungman, and L. Adler, No. 1, p 97
- Mercury Tube Modeling of the Eddy Current Discontinuity Response*, W. R. Junker and G. Mott, No. 10, p 1353
- Microfilming Radiographs (NDT Solution)*, C. E. Anderson, No. 7, p 830
- Microstructure, and Fracture Toughness in Polycrystalline Solids, Concepts for Interrelating Ultrasonic Attenuation*, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Modeling of the Eddy Current Discontinuity Response, Mercury Tube*, W. R. Junker and G. Mott, No. 10, p 1353
- Modeling of the Eddy Current Response, Liquid Metal*, W. R. Junker and B. J. Taszarek, No. 12, p 1564
- Modular Robotic Manipulation in Radiographic Inspection (NDT Solution)*, J. J. Gallar, No. 11, p 1397
- Monitor of Material Anisotropy, Acousto-Ultrasonics as a*, M. T. Kiernan and J. C. Duke, Jr., No. 8, p 1105
- Monitoring in Nuclear Power Plants, Acoustic Emission*, R. M. Jones, No. 2, p 172
- Monitoring of Above-Ground Storage Tanks, Acoustic Emission*, C. M. Nickolaus, No. 4, p 508
- Monitoring of Fossil-Fuel Power Plants, Acoustic Emission*, J. E. Coulter, D. M. Stevens, S. Gehl, and J. R. Scheibel, No. 2, p 230
- Monitoring of Light-Water Reactor Systems: A Status Review, Acoustic Emission for Continuous*, P. H. Hutton, No. 2, p 241
- Monitoring of Reheat Steamlines, Acoustic Emission*, D. L. Robinson and C. C. Thomas, No. 2, p 155
- Monitoring of Tool Condition during Machining, Application of Acoustic Emission to the Automatic*, J. Roget, P. Souquet, and N. Gsib, No. 2, p 225
- More Than Just a Pretty Picture: Real-Time X-Ray Image Enhancement in the Electronics Industry*, R. Olsen, No. 11, p 1403
- NDT Reference Standard, The (Back to Basics)*, L. D. Cox and K. W. Hammer, No. 6, p 702
- Neutron Computed Tomography with a High-Speed Image Processor*, Y. Ikeda, H. Sakai, K. Ohkubo, and G. Matsumoto, No. 11, p 1471; Copyright notice, No. 13, p 1716
- Noise and Granularity in Radiographs*, Y. Segal, D. Ingman, and Y. Bushlin, No. 4, p 513
- Nomograph to Calculate the Current Required for Longitudinal Magnetization*, A. W. S. Burkle, No. 6, p 728
- Nondestructive Measurement of Density and Effective Atomic Number by Photon Scattering*, M. G. Berodias and M. G. Peix, No. 9, p 1209
- Nondestructive Testing Applied to Operational Pipelines*, R. W. E. Shannon and L. Jackson, No. 12, p 1516
- Northeast Wisconsin Technical College (Education Close-Up)*, No. 7, p 827
- Nuclear Power Plants, Acoustic Emission Monitoring in*, R. M. Jones, No. 2, p 172
- Nuclear: see also Reactor*
- Oil Country Tubular Goods, Ultrasonic Inspection of (Back to Basics)*, G. W. Pont, No. 10, p 1250
- Oil Tank Collapse at Ashland-Florefe Terminal*, R. N. Wright and J. Smith, No. 5, p 587
- On-Aircraft Eddy Current Subsurface Crack Inspection (Technical Note)*, D. J. Hagemmaier, B. Bates, and A. Steinberg, No. 4, p 518
- Optically Aided Visual Inspection of Aircraft Structure (Technical Note)*, D. J. Hagemmaier, B. Bates, and D. Christina, No. 13, p 1696
- PC Analysis of an Acousto-Ultrasonic Signal*, M. T. Kiernan and J. C. Duke, Jr., No. 10, p 1344
- Penetrant Testing of the Interior of Rotor Assemblies of Jet Engine Compressors, Ultraviolet Light Guide for Fluorescent (NDT Solution)*, W. O. Holden, No. 10, p 1256
- Photographs as a Permanent Record for Visual Inspection (NDT Solution)*, D. Pasquazzi and W. R. Tweddell, No. 13, p 1634
- Photon Scattering, Nondestructive Measurement of Density and Effective Atomic Number by*, M. G. Berodias and M. G. Peix, No. 9, p 1209
- Pipe, Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel Tube and*, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Pipe, Developments in the Dual-Probe Technique for Immersion Angle-Beam Ultrasonic Testing of Steel Tube and*, K. Iiyama and T. Yagi, No. 7, p 993
- Pipeline Anomaly Detectors under Simulated Line Pressure, A Rotating-Drum Rig for Testing*, D. L. Atherton and C. Welbourn, No. 1, p 101
- Pipelines, Nondestructive Testing Applied to Operational*, R. W. E. Shannon and L. Jackson, No. 12, p 1516

- Plate Edge: Visualization and Theory, The Reflection of the Lamb Wave by a Free*, S. Y. Zhang, J. Z. Shen, and C. F. Ying, No. 5, p 638
- Plate Waves in Layered Structures, Surface and*, J. L. Rose and A. Pilarski, No. 5, p 598
- Polycrystalline Solids, Concepts for Interrelating Ultrasonic Attenuation, Microstructure, and Fracture Toughness in*, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Power: see Fossil, Nuclear, Turbine*
- Pressure Vessels, Ultrasonic Testing of Nozzle Attachment Welds in (Back to Basics)*, C. E. Swanson, No. 5, p 566
- Pressure: see also Vessels*
- Propagation: see Wave*
- Property Measurement in Composite Materials, Ultrasonic Technique for Global Anisotropic*, R. A. Kline and Z. T. Chen, No. 7, p 986
- Pulsar for Ultrasonic Testing, High-Efficiency Square*, J. Venczel, No. 13, p 1702
- Pumped Large-Volume High-Vacuum Systems, Leak Testing of Cryogenically (NDT Solution)*, C. N. Sherlock, No. 1, p 22
- Qualitative and Quantitative Determination of Densely Occurring Defects in Steel Ropes by Magnetic Testing Method*, E. Kalwa and K. Piekarski, No. 6, p 767
- Quality Assessment and Structural Validation, Electro-Optic Aids to*, D. J. V. Martin, No. 1, p 52
- Quality Control: see Acoustic, Electro-Optic, Financial, Statistics*
- Quantified Nondestructive Evaluation Capability: A Major Element in Engine Structural Integrity Programs*, P. A. Domas, No. 5, p 626
- Quantifying Magnetic Particle Inspection*, K. Skeie and D. J. Hagemaiier, No. 6, p 779
- Quantitative Characterization of Impact Damage in Composite Materials: A Comparison of Computerized Vibrothermography and X-Ray Tomography*, P. Potet, C. Bathias, and B. Degriigny, No. 8, p 1050
- Quantitative In-Service Inspection of Wire Ropes (Opinion Paper)*, H. R. Weischedel, No. 4, p 430
- Radiographers, A Case for an ASNT Central Certification Program for Industrial (Opinion Paper)*, G. A. Rosier, No. 8, p 1041
- Radiographic Film: Considerations for the Shop, Selecting (Back to Basics)*, W. Bowles and G. Mayberry, No. 4, p 426
- Radiographic Image Interpretation (Back to Basics)*, G. Becker, No. 11, p 390
- Radiographic Inspection, Modular Robotic Manipulation in, (NDT Solution)*, J. J. Gallar, No. 11, p 1397
- Radiographic System, Description of a Rapid, High-Sensitivity Real-Time*, R. A. Betz and R. C. Barry, No. 11, p 1424
- Radiographic and Ultrasonic Characterization of Sintered Silicon Carbide*, G. Y. Baaklini and P. B. Abel, No. 11, p 1477
- Radiographs, Microfilming (NDT Solution)*, C. E. Anderson, No. 7, p 830
- Radiographs, Noise and Granularity in*, Y. Segal, D. Ingman, and Y. Bushlin, No. 4, p 513
- Radiographs of Seashells: Images by W. A. Conklin*, No. 9, p 1161
- Radiography, Seed*, J. A. Vozzo, No. 11, p 1450
- Radiography: A Case Study of a Temple Gate as a Testpiece, Feasibility of Cosmic-Ray*, S. Minato, No. 11, p 1468; Copyright notice, No. 13, p 1716
- Radiography: see also X-Ray, Tomography*
- Reactor Systems: A Status Review, Acoustic Emission for Continuous Monitoring of Light-Water*, P. H. Hutton, No. 2, p 241
- Reactor: see also Nuclear, Pressure*
- Real-Time Radiographic System, Description of a Rapid, High-Sensitivity*, R. A. Betz and R. C. Barry, No. 11, p 1424
- Real-Time X-Ray Image Enhancement in the Electronics Industry, More Than Just a Pretty Picture*, R. Olsen, No. 11, p 1403
- Record for Visual Inspection, Photographs as a Permanent (NDT Solution)*, D. Pasquazzi and W. R. Tweddell, No. 13, p 1634
- Reflection of the Lamb Wave by a Free Plate Edge: Visualization and Theory, The*, S. Y. Zhang, J. Z. Shen, and C. F. Ying, No. 5, p 638
- Regression Analysis to Assess Ultrasonic Inspection Results*, E. L. Capener, No. 5, p 671
- Remote Testing, Design Consideration for*, E. R. Reinhart, No. 10, p 1301
- Requirements for Visual Acuity in the Aerospace Industry (Back to Basics)*, W. H. Bailey, No. 13, p 1625
- Resistivity, A Single-Sided Eddy Current Method to Measure Electrical*, S. N. Vernon, No. 12, p 1581
- Resistivity Testing for Finding Seam Welds in Carbon-Steel Piping (NDT Solution)*, B. M. Strauss and J. J. Balaschak, No. 8, p 1043
- Rides: see Amusement*
- Robotic Applications, High-Frequency Acoustic Systems for*, R. W. Smith, R. Walters, J. Carlson, and R. Harris, No. 10, p 1262
- Robotic Manipulation in Radiographic Inspection, Modular (NDT Solution)*, J. J. Gallar, No. 11, p 1397
- Rope: see Wire Rope*
- Rotating-Drum Rig for Testing Pipeline Anomaly Detectors under Simulated Line Pressure*, A. D. L. Atherton and C. Welbourn, No. 1, p 101
- Scattering in an Aluminum Block, A Finite-Element Study of Ultrasonic Wave Propagation and*, R. Ludwig and W. Lord, No. 1, p 108
- Scattering, Nondestructive Measurement of Density and Effective Atomic Number by Photon*, M. G. Berodias and M. G. Peix, No. 9, p 1209
- Scattering of Elastic Waves from a Fluid-Filled Cylinder, Spectral Analysis of the*, P. P. Delsanto, J. D. Alemar, E. Rosario, A. Nagl, and H. Überall, No. 7, p 1000
- Seashells: Images by W. A. Conklin, Radiographs of*, No. 9, p 1161
- Seed Radiography*, J. A. Vozzo, No. 11, p 1450
- Selecting Radiographic Film: Considerations for the Shop (Back to Basics)*, W. Bowles and G. Mayberry, No. 4, p 426
- Sensitivity: see Calibration, Filtering*
- Sensor Listens for Impending Failure of Turbopump Bearings (NDT Solution)*, W. D. Jolly, No. 2, p 153
- Service, Effective Implementation of NDT into Aircraft Design, Fabrication, and*, D. J. Hagemaiier, No. 7, p 851
- Service: see also In-Service*
- Sinclair Community College (Education Close-Up)*, G. H. Sehi, No. 10, p 1325
- Single-Sided Eddy Current Method to Measure Electrical Resistivity*, A. S. N. Vernon, No. 12, p 1581
- Specimens Containing Interior Cracks, Technique for Fabricating NDT*, D. K. Hsu and D. O. Thompson, No. 13, p 1692
- Spectral Analysis of the Scattering of Elastic Waves from a Fluid-Filled Cylinder*, P. P. Delsanto, J. D. Alemar, E. Rosario, A. Nagl, and H. Überall, No. 7, p 1000
- Split-Spectrum Processing in Ultrasonic Nondestructive Evaluation, Utility of*, J. L. Rose, P. Karpur, and V. L. Newhouse, No. 1, p 114
- Spurious Echoes during Shear-Wave Examination through Weld Overlay*, D. S. Kupperman, No. 8, p 1114
- Standard, The NDT Reference (Back to Basics)*, L. D. Cox and K. W. Hammer, No. 6, p 702
- Standards: see also Specimens*
- Statistics Applied to Measurements in Ultrasonic Testing*, J. Perdijon, No. 10, p 1317
- Statistics Applied to the Inference of Flaws in Ultrasonic Testing*, J. Perdijon, No. 13, p 1666
- Steam Turbine Components, Eddy Current Inspection of (NDT Solution)*, S. Sarian, H. M. Sadek, and D. P. Johnson, No. 4, p 442; Erratum, No. 13, p 1716
- Steamlines, Acoustic Emission Monitoring of Reheat*, D. L. Robinson and C. C. Thomas, No. 2, p 155
- Steel Ropes by Magnetic Testing Method, Qualitative and Quantitative Determination of Densely Occurring Defects in*, E. Kalwa and K. Piekarski, No. 6, p 767
- Steel Studs, Ultrasonic Procedure for Measuring Bolt-Up and Long-Term Relaxation Stress in (NDT Solution)*, P. J. Pantermuehl and A. S. Birring, No. 6, p 708

- Steel Tube and Pipe, Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Steel Tube and Pipe, Developments in the Dual-Probe Technique for Immersion Angle-Beam Ultrasonic Testing of, K. Iiyama and T. Yagi, No. 7, p 993
- Steel, Ultrasonic Inspection of Spot Welds in Thin-Gage, T. M. Mansour, No. 5, p 650
- Steel: see also Carbon-Steel, Wire Rope
- Stepped-Frequency Ultrasonic Holography, R. H. Bossi and B. P. Hildebrand, No. 5, p 659
- Stress in Steel Studs, Ultrasonic Procedure for Measuring Bolt-Up and Long-Term Relaxation (NDT Solution), P. J. Pantermuehl and A. S. Birring, No. 6, p 708
- Structural Integrity Programs, Quantified Nondestructive Evaluation Capability: A Major Element in Engine, P. A. Domas, No. 5, p 626
- Structural Validation, Electro-Optic Aids to Quality Assessment and, D. J. V. Martin, No. 1, p 52
- Surface and Plate Waves in Layered Structures, J. L. Rose and A. Pilarski, No. 5, p 598
- Surveillance Using Acoustic Emission, Continuous (Back to Basics), M. N. Bassim, No. 2, p 149
- Tank Collapse at Ashland-Floreffe Terminal, Oil, R. N. Wright and J. Smith, No. 5, p 587
- Tanks, Acoustic Emission Monitoring of Above-Ground Storage, C. M. Nickolaus, No. 4, p 508
- Tanks, Leak Testing of Leaking Underground Storage (Back to Basics), A. D. Reynolds, No. 7, p 819
- Technique for Controlled Performance of Magnetic Particle Inspection (Technical Note), D. Henning and K. G. Walther, No. 12, p 1588
- Technique for Fabricating NDT Specimens Containing Interior Cracks, D. K. Hsu and D. O. Thompson, No. 13, p 1692
- Temperature Changes on Angle-Beam Ultrasonic Testing of Steel, The Influence of Ambient (Back to Basics), J. A. Brunk, No. 9, p 1148
- Temple Gate as a Testpiece, Feasibility of Cosmic-Ray Radiography: A Case Study of a, S. Minato, No. 11, p 1468; Copyright notice, No. 13, p 1716
- Terra Technical College (Education Close-Up), No. 5, p 562
- Test Parameters of Wet Magnetic Particle Inspection of Steel Billets, L. C. Wong, No. 12, p 1548
- Thermoelastic: see Electro-Optic
- Time-Domain Feature-Based Classification by Size and Orientation of Near-Field Flaws Smaller than the Ultrasonic Beamwidth, G. S. Kohne and P. J. Coyne, Jr., No. 9, p 1204
- Tomography with a High-Speed Image Processor, Neutron Computed, Y. Ikeda, H. Sakai, K. Ohkubo, and G. Matsumoto, No. 11, p 1471; Copyright notice, No. 13, p 1716
- Tomography, Quantitative Characterization of Impact Damage in Composite Materials: A Comparison of Computerized Vibrothermography and X-Ray, P. Potet, C. Bathias, and B. Degryny, No. 8, p 1050
- Tool Condition during Machining, Application of Acoustic Emission to the Automatic Monitoring of, J. Roget, P. Souquet, and N. Gsib, No. 2, p 225
- Transducer Array Configuration for Interlaced Scanning, Ultrasonic, K. H. Beck, No. 6, p 771
- Tube and Pipe, Automatic Calibration of Sensitivity in High-Speed Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Tube and Pipe, Developments in the Dual-Probe Technique for Immersion Angle-Beam Ultrasonic Testing of Steel, K. Iiyama and T. Yagi, No. 7, p 993
- Tubular Goods, Ultrasonic Inspection of Oil Country (Back to Basics), G. W. Pont, No. 10, p 1250
- Turbine Components, Eddy Current Inspection of Steam (NDT Solution), S. Sarian, H. M. Sadek, and D. P. Johnson, No. 4, p 442; Erratum, No. 13, p 1716
- Turbopump Bearings, Sensor Listens for Impending Failure of (NDT Solution), W. D. Jolly, No. 2, p 153
- Ultrasonic Attenuation Measurements Determine Onset, Degree, and Completion of Recrystallization, E. R. Generazio, No. 9, p 1198
- Ultrasonic Attenuation, Microstructure, and Fracture Toughness in Polycrystalline Solids, Concepts for Interrelating, A. Vary, No. 5, p 642; Erratum, No. 8, p 1118
- Ultrasonic Beamwidth, Time-Domain Feature-Based Classification by Size and Orientation of Near-Field Flaws Smaller than the, G. S. Kohne and P. J. Coyne, Jr., No. 9, p 1204
- Ultrasonic Characterization of Sintered Silicon Carbide, Radiographic and, G. Y. Baaklini and P. B. Abel, No. 11, p 1477
- Ultrasonic Examination of Absorbent Materials (NDT Solution), J. A. Brunk, No. 5, p 584; Erratum, No. 9, p 1157
- Ultrasonic Holography, Stepped-Frequency, R. H. Bossi and B. P. Hildebrand, No. 5, p 659
- Ultrasonic Inspection of Oil Country Tubular Goods (Back to Basics), G. W. Pont, No. 10, p 1250
- Ultrasonic Inspection of Spot Welds in Thin-Gage Steel, T. M. Mansour, No. 5, p 650
- Ultrasonic Inspection Results, Regression Analysis to Assess, E. L. Capener, No. 5, p 671
- Ultrasonic Nondestructive Evaluation of Green-State Ceramics, A Dry-Contact Coupling Technique for, R. A. Roberts, No. 6, p 758
- Ultrasonic Nondestructive Evaluation, Utility of Split-Spectrum Processing in, J. L. Rose, P. Karpur, and V. L. Newhouse, No. 1, p 114
- Ultrasonic Procedure for Measuring Bolt-Up and Long-Term Relaxation Stress in Steel Studs (NDT Solution), P. J. Pantermuehl and A. S. Birring, No. 6, p 708
- Ultrasonic Scanning, Airborne, O. Rivera and F. V. Vitale, No. 5, p 614
- Ultrasonic Technique for Global Anisotropic Property Measurement in Composite Materials, R. A. Kline and Z. T. Chen, No. 7, p 986
- Ultrasonic Testing Equipment for Small-Size Electric-Resistance-Welded Steel Tube and Pipe, Automatic Calibration of Sensitivity in High-Speed, K. Iiyama, K. Sekiguchi, and M. Usuki, No. 8, p 1096
- Ultrasonic Testing, High-Efficiency Square Pulser for, J. Venczel, No. 13, p 1702
- Ultrasonic Testing of Nozzle Attachment Welds in Pressure Vessels (Back to Basics), C. E. Swanson, No. 5, p 566
- Ultrasonic Testing of Steel, The Influence of Ambient Temperature Changes on Angle-Beam (Back to Basics), J. A. Brunk, No. 9, p 1148
- Ultrasonic Testing of Steel Tube and Pipe, Developments in the Dual-Probe Technique for Immersion Angle-Beam, K. Iiyama and T. Yagi, No. 7, p 993
- Ultrasonic Testing, Statistics Applied to Measurements in, J. Perdijon, No. 10, p 1317
- Ultrasonic Testing, Statistics Applied to the Inference of Flaws in, J. Perdijon, No. 13, p 1666
- Ultrasonic Transducer Array Configuration for Interlaced Scanning, K. H. Beck, No. 6, p 771
- Ultrasonic Velocity C-Scans for Ceramic and Composite Material Characterization, J. J. Gruber, J. M. Smith, and R. H. Brockelman, No. 1, p 90
- Ultrasonic Wave Propagation and Scattering in an Aluminum Block, A Finite-Element Study of, R. Ludwig and W. Lord, No. 1, p 108
- Ultrasonic: see also Acoustic, Acousto-Ultrasonics, Filtering Ultraviolet Light Guide for Fluorescent Penetrant Testing of the Interior of Rotor Assemblies of Jet Engine Compressors (NDT Solution), W. O. Holden, No. 10, p 1256
- Underwater Magnetic Particle Testing, Innovations in, L. Goldberg, No. 6, p 718
- Utility of Split-Spectrum Processing in Ultrasonic Nondestructive Evaluation, J. L. Rose, P. Karpur, and V. L. Newhouse, No. 1, p 114

Vacuum-Insulated Cryogenic Vessels, Leak Testing of Large Double-Wall (Back to Basics), C. N. Sherlock, No. 8, p 1034
Vacuum: see also *Pumped*
Vessels by Acoustic Emission Analysis without Fault Locating, Inspection of Small, W. Morgner, No. 2, p 210
Vessels, Leak Testing of Large Double-Wall Vacuum-Insulated Cryogenic (Back to Basics), C. N. Sherlock, No. 8, p 1034
Vibrothermography and X-Ray Tomography, Quantitative Characterization of Impact Damage in Composite Materials: A Comparison of Computerized, P. Potet, C. Bathias, and B. Degrigny, No. 8, p 1050
Visual Acuity in the Aerospace Industry, Requirements for (Back to Basics), W. H. Bailey, No. 13, p 1625
Visual Inspection of Aircraft Structure, Optically Aided (Technical Note), D. J. Hagemeyer, B. Bates, and D. Christina, No. 13, p 1696
Visual Inspection, Photographs as a Permanent Record for (NDT Solution), D. Pasquazzi and W. R. Tweddell, No. 13, p 1634
Wave by a Free Plate Edge: Visualization and Theory, The Reflection of the Lamb, S. Y. Zhang, J. Z. Shen, and C. F. Ying, No. 5, p 638
Wave Propagation and Scattering in an Aluminum Block, A Finite-Element Study of Ultrasonic, R. Ludwig and W. Lord, No. 1, p 108
Wave: see also *Shear-Wave*
Waves from a Fluid-Filled Cylinder, Spectral Analysis of the Scattering of Elastic, P. P. Delsanto, J. D. Alemar, E. Rosario, A. Nagl, and H. Überall, No. 7, p 1000
Waves in Composite Plates, Measurements of Backscattered Leaky Lamb, P. B. Nagy, A. Jungman, and L. Adler, No. 1, p 97
Waves in Layered Structures, Surface and Plate, J. L. Rose and A. Pilarski, No. 5, p 598
Weld Overlay, Spurious Echoes during Shear-Wave Examination through, D. S. Kupperman, No. 8, p 1114
Weld: see also *Electric-Resistance-Welded*
Welds in Carbon-Steel Piping, Resistivity Testing for Finding Seam (NDT Solution), B. M. Strauss and J. J. Balaschak, No. 8, p 1043
Welds in Pressure Vessels, Ultrasonic Testing of Nozzle Attachment (Back to Basics), C. E. Swanson, No. 5, p 566
Welds in Thin-Gage Steel, Ultrasonic Inspection of Spot, T. M. Mansour, No. 5, p 650

Wire Rope Inspection in Germany, 1925-40, Electromagnetic (Yesterday's), H. R. Weischedel, No. 6, p 734
Wire Ropes, Quantitative In-Service Inspection of (Opinion Paper), H. R. Weischedel, No. 4, p 430
X-Ray Image Enhancement in the Electronics Industry, More Than Just a Pretty Picture: Real-Time, R. Olsen, No. 11, p 1403
X-Ray Imaging, Backscatter, R. H. Bossi, K. D. Friddell, and J. M. Nelson, No. 11, p 1462; Copyright notice, No. 13, p 1716
X-Ray Tomography, Quantitative Characterization of Impact Damage in Composite Materials: A Comparison of Computerized Vibrothermography and, P. Potet, C. Bathias, and B. Degrigny, No. 8, p 1050
X-Ray: see also *Radiographic, Radiography*

Addenda

The authors of the feature article "Eddy Current Inspection of Steam Turbine Components" (Vol. 46, No. 4, Mar. 1988, pp 442-446) are S. Sarian, H. M. Sadek, and D. P. Johnson. The article was excerpted in part from a paper by S. Sarian et al., "Controlled Reluctance Eddy Current Inspection of Steam Turbine Components," presented at the Electric Power Research Institute's Workshop on Nondestructive Examination of Steam Turbine and Electrical Generator Components, Arlington, VA, Oct. 30-31, 1980.

The notice of copyright—"0025-5327/89/\$2.00/0. ©1989, The American Society for Nondestructive Testing, Inc."—was inadvertently omitted from the title pages of three articles in issue No. 11: R. H. Bossi, K. D. Friddell, and J. M. Nelson, *Backscatter X-Ray Imaging*, p 1462; S. Minato, *Feasibility of Cosmic-Ray Radiography: A Case Study of a Temple Gate as a Testpiece*, p 1468; and Y. Ikeda, H. Sakai, K. Ohkubo, and G. Matsumoto, *Neutron Computed Tomography with a High-Speed Image Processor*, p 1471. ASNT considers that the general copyright notice on p 1366 applies to these three papers as well as to the journal as a whole.

In the same issue, the paper by G. Y. Baaklini and P. B. Abel (*Radiographic and Ultrasonic Characterization of Sintered Silicon Carbide*, p 1477) is a work of the US government and not subject to copyright by ASNT. ■

